

7. BIBLIOGRAFÍA

- [1] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, “Gradient-based learning applied to document recognition”, *Proceedings of the IEEE*, vol. 86, no. 11, pp. 2278–2323, 1998.
- [2] T. Serre, L. Wolf, S. Bileschi, M. Riesenhuber, and T. Poggio, “Robust object recognition with cortex-like mechanisms”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 29, no. 3, pp. 411–426, Marzo 2007.
- [3] José Antonio Pérez Carrasco, “Herramienta de simulación para construir y analizar sistemas complejos y jerárquicamente estructurados basados en AER que implementan procesado de la información visual”, Tesis Doctoral. Sevilla, Marzo 2011.
- [4] G. M. Shepherd, “The Synaptic Organization of the Brain”, 3rd ed. New York: Oxford Univ. Press, 1990.
- [5] E. T. Rolls and G. Deco, “Computational Neuroscience of Vision”, New York: Oxford Univ. Press, 2002.
- [6] R. DeValois, D. Albrecht, and L. Thorell, “Spatial frequency selectivity of cells in macaque visual cortex”, *Vis. Res.*, vol. 22, pp. 545-559, 1982.
- [7] R. DeValois, E. Yund, and N. Hepler, “The orientation and direction selectivity of cells in macaque visual cortex”, *Vis. Res.*, vol. 22, pp. 531-544, 1982.

- [8] P. H. Schiller, B. L. Finlay, and S. F. Volman, “Quantitative studies of single-cell properties in monkey striate cortex”, *Spatial frequency, J. Neurophysiol.* vol. 39(6), pp. 1334-1351, 1976.
- [9] K. Fukushima and N. Wake, “Handwritten alphanumeric character recognition by the neocognitron”, *IEEE Trans. Neural Netw.*, vol. 2(3), pp. 355-365, Mayo 1991.
- [10] S. Grossberg, E. Mingolla and J. Williamson, “Synthetic aperture radar processing by a multiple scale neural system for boundary and surface representation”, *Neural Netw.*, vol. 8(7/8), pp. 1005-1028, 1995.
- [11] S. Lawrence, C. L. Giles, A. Tsoi, and A. Back, “Face recognition: A convolutional neural network approach”, *IEEE Trans. Neural Netw.*, vol. 8(1), pp. 98-113, Enero 1997.
- [12] T. Masquelier and S. J. Thorpe, “Learning to recognize objects using waves of spikes and Spike Timing-Dependent Plasticity”, 2009.
- [13] T. Masquelier, R. Guyonneau, and S. J. Thorpe, “Competitive STDP-Based Spike Pattern Learning”, *Neural Comput.*, 2009, vol 21, pp. 1259-1276.
- [14] Yann LeCun, Website: <http://yann.lecun.com/exdb/mnist/>
- [15] Paniagua, R.; Nistal, M.; Sesma, P.; Álvarez-Uría, M.; Fraile, B.; Anadón, R. y José Sáez, F., “Citología e histología vegetal y animal”, (2002).
- [16] Eddie Marrero, Website:
<http://academic.uprm.edu/~eddiem/psic3001/id36.htm>
- [17] Tortora Grabowski, “Anatomía y Fisiología”, Editorial Oxford, 9^a. Edición, México, 2002.
- [18] Website: http://enciclopedia.us.es/index.php/Impulso_nervioso

- [19] Luis Palacios Raufast, Josefina Blasco Mínguez, Teresa Pagés Costas y Vicente Alfaro González, “Fisiología Animal”, Edicions Universitat Barcelona, p.47-48, (2005).
- [20] Bear MF, Connors BW, Paradiso M.A., “Neurociencia: explorando el cerebro”, Barcelona: Masson, 2002.
- [21] Morris, R.G.M. et al, “Elements of a neurobiological theory of the hippocampus: the role of activity dependents synaptic plasticity in memory”, *Phil. Trans. R. Soc. Lond. B*, Nº 358, 2003, pp. 773-786.
- [22] R. Guyonneau et al., “Illustration STDP with reproducible spike waves”, *Neural Comp*, 2005.
- [23] T. Masquelier, R. Guyonneau, S. J. Thorpe, “Spike Timing Dependent Plasticity Finds the Start of Repeating Patterns in Continuous Spike Trains”, Enero 2008.
- [24] P. Lichtsteiner, C. Posch, and T. Delbrück, “A 128x128 120 dB 30 mW asynchronous vision sensor that responds to relative intensity change”, *IEEE J. Solid-State Circuits*, vol. 43(2), pp. 566-576, Febrero 2008.
- [25] J. Costas-Santos, T. Serrano-Gotarredona, R. Serrano-Gotarredona, and B. Linares-Barranco, “A contrast retina with on-chip calibration for neuromorphic spike-based AER vision systems”, *IEEE Trans. Circuits Syst. I*, Reg. Papers, vol. 54(7), pp. 1444-1458, Julio 2007.
- [26] R. Serrano-Gotarredona, T. Serrano-Gotarredona, A. Acosta-Jiménez, and B.Linares-Barranco, “A neuromorphic cortical layer microchip for spike based event processing vision systems”, *IEEE Trans. Circuits Syst. I*, Reg. Papers, vol. 53(12), pp. 2548-2566, Diciembre 2006.

- [27] E. Kandel, J. Schwartz, and T. M. Jessel, “Principles of Neural Science. Elsevier”, New York, 1991.
- [28] E. D. Adrian, Y. Zotterman, “The impulses produced by sensory nerve endings: Part II: The response of a single end organ”, *Journal of Physiology*, no 61, pp. 151-71, 1926.
- [29] R. Stein, E. Gossen, K. Jones, “Neuronal variability: noise or part of the signal?”, *Nature Reviews Neuroscience*, vol. 6, pp. 389-397, 2005.
- [30] A. L. Jacobs, et al., “Ruling out and ruling in neural codes,” *Proc Natl Acad Sci U S A*, vol. 106, pp. 5936-41, 2009.
- [31] S. J. Thorpe, “Spike arrival times: A highly efficient coding scheme for neural networks”, Parallel processing in neural systems and computers, R. Eckmiller,G. Hartmann, and G. Hauske, Editors. 1990, Elsevier: North-Holland. p. 91-94.
- [32] R. VanRullen, R. Guyonneau, and S. J. Thorpe, “Spike times make sense”, *Trends Neurosci*, vol 28, pp. 1-4, 2005.
- [33] R. VanRullen and S. J. Thorpe, “Rate coding versus temporal order coding: what the retinal ganglion cells tell the visual cortex”, *Neural Comput*, vol 13, pp. 1255-83, 2001.
- [34] T. Gollisch and M. Meister, “Rapid neural coding in the retina with relative spike latencies” *Science*, vol 319, pp. 1108-11, 2008.
- [35] M. Sivilotti, “Wiring considerations in analog VLSI systems with application to field-programmable networks”, *Ph.D. dissertation, Comput. Sci. Div.*, CaliforniaInst. Technol., Pasadena, CA, 1991.

- [36] K. Boahen, “Point-to-point connectivity between neuromorphic chips using address events”, *IEEE Trans. Circuits Syst. II, Analog Digit. Signal Process.*, vol. 47(5), pp. 416-434, Mayo 2000.
- [37] R. Serrano-Gotarredona, et al, “AER Building Blocks for Multi-Layers Multi-Chips Neu-romorphic Vision Systems, in Advances in Neural Information Processing Systems”, Vol. 18, Y. Weiss and B. S. and J. Platt (Eds.), (NIPS'06), MIT Press, Cambridge, MA, 1217-1224, (2006).
- [38] T. Serrano-Gotarredona, A. G. Andreou, and B. Linares-Barranco, “AER image filtering architecture for vision-processing systems”, *IEEE Trans. Circuits Syst. I, Fundam. Theory Appl.*, vol. 46(9), pp. 1064-1071, Septiembre 1999.
- [39] A. Cohen, R. Etienne-Cummings, T. Horiuchi, G. Indiveri, S. Shamma, R. Douglas, C. Koch, and T. Sejnowski, “Rep. 2004 Workshop on Neuromorphic Eng. Telluride”, CO, del 27 de Junio al 17 Julio, 2004.
- [40] F. Gómez-Rodríguez, R. Paz, A. Linares-Barranco, M. Rivas, L. Miro, G. Jiménez, A. Civit, “AER tools for Communications and Debugging”, *Proc. IEEE ISCAS06. Kos*, Greece, Mayo 2006.
- [41] José Antonio Pérez-Carrasco, Begoña Acha, Carmen Serrano, Luis Camuñas-Mesa, Teresa Serrano-Gotarredona, Bernabé Linares-Barranco, “Fast Vision Through Frameless Event-Based Sensing and Convolutional Processing: Application to Texture Recognition”, *IEEE Transactions On Neural Networks*, Vol. 21, no. 4, Abril 2010.
- [42] B. S. Manjunath and W. Y. Ma, “Texture features for browsing and retrieval of image data” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol.18, no. 8, pp. 837–842, Agosto. 1996.
- [43] Hebb, D y Penfield, W., “Human behaviour after extensive bilateral removal from the frontal lobes”, *Archives of Neurology and Psychiatry*., pp. 421–436. (1940).

[44] Shouval, Harel, “The Synaptic basis for Learning and Memory: A theoretical approach”, The University of Texas Health Science Center at Houston. Enero 2005.

[45] Timothee Masquelier and Simon J. Thorpe, “Learning to recognize objects using waves of spikes and Spike Timing-Dependent Plasticity”, 2009.

[46] Website: <http://apt.cs.man.ac.uk/projects/SpiNNaker/>

[47] Website: <http://apt.cs.man.ac.uk/projects/SpiNNaker/architecture/>