

REFERENCIAS

- [1] “Accurate Method for Analysis of a Packet-speech Multiplexer with limited delay”. R. Tucker. IEEE Transactions on Communications, Vol. 36, Issue 4. 1988
- [2] “A Markov Modulated Characterization of Packetized Voice and Data Traffic and Related Statistical Multiplexer Performance”. H. Heffes, D.M. Lucatoni. IEEE Journal Selected Areas in Communications. 1986.
- [3] “Voice over Internet Protocol. Definition and Overview”. International Engineering Consortium. 2007.
- [4] RFC 3550: “RTP: A Transport Protocol for Real-time Applications”. H. Schulzrinne, S. Casner, R. Frederick, V. Jacobson. Julio 2003.
- [5] RFC 3711: “The Secure Real-time Transport Protocol (SRTP)”. M. Baugher, D. McGrew, M. Naslund, E. Carrara, K. Norrman. Marzo 2004.
- [6] “Business Communications: Cost and Productivity Improvements”. <http://www.cisco.com/en/US/products/sw/voicesw/index.html>.
- [7] “ITU-T Coders for Wideband, Superwideband and Fullband Speech Communication”.R. V. Cox, S. Ferraz de Campos Neto, C. Lamblin, M. Hashem Sherif. IEEE Communications Magazine. Octubre 2009, Vol. 47, No. 10.
- [8] “Acoustics, Speech and Signal Processing (ICASSP), 2011 IEEE International Conference on”. Lei Miao Huawei Technol., Zexin Liu, Chen Hu, V. Eksler, S. Ragot, C. Lamblin, B. Kovesi, Jongmo Sung, M. Fukui, S. Sasaki, Y. Hiwasaki. Mayo 2011.
- [9] “Voice Quality Evaluation of Various Códecs”. Anssi Rämö. Nokia Research Center. 2010.

- [10] Recommendation G.711: “Pulse Code Modulation (PCM) of voice frequencies”. ITU-T. Noviembre 1988.
- [11] Recommendation G.723.1: “Dual Rate speech coder for multimedia communications transmitting at 5.3 and 6.3 kbit/s”. ITU-T. Mayo 2006.
- [12] Recommendation G.728: “Coding of speech at 16 kbit/s using Low-delay Code Excited Linear Prediction”. ITU-T. Junio 2012.
- [13] Recommendation G.729: “Coding of speech at 8 kbit/s using Conjugate-Structure Algebraic-Code-Excited Linear-Prediction (CS-ACELP)”. ITU-T. Junio 2012.
- [14] 3GPP TS 26.071 v10 Release 10: “AMR speech C6dec”. ETSI TS 126 071 v10.0.0. Abril 2011.
- [15] RFC 3951: “Internet Low Bit Rate C6dec (ilbc)”. S. Andersen, A. Duric, H. Astrom, R. Hagen, W. Kleijn, J. Linden. Diciembre 2004.
- [16] Recommendation G.722: “7 kHz audio-coding within 64 kbit/s”. ITU-T. Noviembre 1988.
- [17] Recommendation G.722.1: “Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss”. ITU-T. Mayo 2005.
- [18] Recommendation G.711.1: “Wideband embedded extension for G.711 pulse code modulation”. ITU-T. Marzo 2008.
- [19] Recommendation G.729.1: “G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729”. ITU-T. Mayo 2006.
- [20] Recommendation G.722.2: “Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB)”. ITU-T. Julio 2003.

- [21] Recommendation G.711.1 Amendment 4: “Wideband embedded extension for G.711 pulse code modulation Amendment”. ITU-T. Noviembre 2010.
- [22] Recommendation G.722 Amendment 1: “7 kHz audio-coding within 64 kbit/s Amendment 1: New Annex B with superwideband embedded extension”. ITU-T. Noviembre 2010.
- [23] Recommendation G.722.1: “Low-complexity coding at 24 and 32 kbit/s for loss-free operation in systems with low frame loss”, Annex C. ITU-T. Mayo 2005.
- [24] “SILK Speech C6dec”, IETF draft. K. Vos, S. Jensen, K. Sorensen, Skype Technologies S.A. Septiembre 2009.
- [25] 3GPP TS 26.290 v10 Release 10: “Extended Adaptive Multi-Rate – Wideband (AMR-WB+) C6dec”. ETSI TS 126 290 v10.0.0. Abril 2011.
- [26] Recommendation G.719: “Low-complexity, full-band audio coding for high-quality, conversational applications”. ITU-T. Junio 2008.
- [27] Recommendation P.800: “Methods for subjective determination of transmission quality”. ITU-T. Agosto 1996.
- [28] Recommendation G.107: “The E-model: a computational model for use in transmission planning”. ITU-T. Diciembre 2011.
- [29] Recommendation G.113 Amendment 1: “Transmission impairments due to speech processing”. ITU-T. Marzo 2009.
- [30] “A Perceptual Quality Model for Adaptive VoIP Applications”. C. Hoene, H. Karl, A. Wolisz, Proceedings of International SPECTS’04. Julio 2004.
- [31] Recommendation P.862: “Perceptual evaluation of speech quality (PESQ): An objective method for end-to-end speech quality assessment of narrow-band telephone networks and speech c6dec”. ITU-T. Febrero 2001.

- [32] Recommendation P.563: “Single-ended method for objective speech quality assessment in narrow-band telephony applications”. ITU-T. Mayo 2004.
- [33] Recommendation P.564: “Conformance testing for voice over IP transmission quality assessment models”. ITU-T. Noviembre 2007.
- [34] “A Passive Method for Monitoring Voice-over-IP Call Quality with ITU-T Objective Speech Quality Measurement Methods”. Adrian E. Conway, ICC 2002 – IEEE International Conference on Communications, no. 1. Abril 2002.
- [35] Linguistic Data Consortium (LDC): <http://www ldc upenn edu>