

BIBLIOGRAFÍA

- [1] *"Aparato fonador"*, El lenguaje verbal del niño, Pablo Félix.
- [2] *"La voz humana"*, Federico Mivara.
- [3] *"Voice evolution from birth to old age"*, Clara Aponte Gutierrez.
- [4] *"Anatomía de la laringe"*, Dra María Buchi B.
- [5] *"A Robust Tool for Newborn Infant Cry Analysis"*, Valentina Tocchioni, Claudia Manfredi, Leonardo Bocchi.
- [6] *"Parametric and non-parametric estimation of speech formants: application to infant cry"*, A. Fort, A. Ismaelli, C. Manfredi, P. Bruscaglioni; Medical Engineering & Physics 18 (1996) 677–691.
- [7] *"Acoustic analysis of newborn infant cry signals"*, Ada Fort, Claudia Manfredi; Medical Engineering & Physics 20 (1998) 432–442.
- [8] *"A comparative analysis of fundamental frequency estimation methods with application to pathological voices"*, C. Manfredi, M. D'Aniello, P. Bruscaglioni, A. Ismaelli; Medical Engineering & Physics 22 (2000) 135–147.
- [9] *"Developmental aspects of infant's cry melody and formants"*, K. Wermke, W. Mende, C. Manfredi, P. Bruscaglioni; Medical Engineering & Physics 24 (2002) 501–514.
- [10] *"Phonation in the newborn, infant cry"*, Katarina Michelsson, Oliver Michelsson; International Journal of Pediatric Otorhinolaryngology, 49 suppl. 1 (1999) S297-S301.
- [11] *"Analysis of the sounds of the child in the first year of age and a comparison to the language"*, Hartmut Rothgänger; Early Human Development 75 (2003) 55-69.

- [12] *"Vocal fundamental frequency characteristics of infant hunger cries: birth to 12 months"*, Harvey R. Gilbert, Michael P. Robb; International Journal of Pediatric Otorhinolaryngology, 34 (1996) 237-243.
- [13] *"Estimation of format frequencies in infant cry"*, Michael P. Robb, Anthony T. Cacace; International Journal of Pediatric Otorhinolaryngology, 32 (1995) 57-67.
- [14] *"Development of the vocal fundamental frequency of spontaneous cries during the first 3 months"*, Katrin Lind, Kathleen Wermke; International Journal of Pediatric Otorhinolaryngology, 32 (2002) 97-104.
- [15] *"The signal functions of early infant crying"*, Joseph Soltis; Behavioral and brain sciences, 27 (2004) 443-490.
- [16] *"Speech analysis synthesis and perception"*, J.L Flanagan; Springer-Verlag Berlin Heidelberg New York 1972.
- [17] *"Discrete time processing of speech signals"*, J. R. Deller, J. G. Proakis, J. H. L. Hanseng; Mac Millan New York 1993.
- [18] *"Studio di parametric di interesse medico per la caratterizzazione di emissioni vocali"*, Massimo D'Aniello; Tesi di Laurea Ing. Elettronica, Facoltà di Ingegneria di Firenze 2004.
- [19] *"Parametri acustici neonatali per la caratterizzazione dello sviluppo fonatorio umano"*, Valentina Tochioni; Tesi di Laurea Ing. Elettronica, Facoltà di Ingegneria di Firenze 2005.
- [20] *"Voice analysis: Pre-Post Surgical"*, Programa del departamento de Electrónica y Telecomunicaciones de la Universidad di Firenze.
- [21] *"Análisis del llanto en niños hipoacusicos y normoyentes de 0 a 2 años de edad"*, E. Arch, A. Verduzco, M. Mandujano, C. A. Reyes; Salud Mental, 29 número 006 (2006), Instituto Nacional de Psiquiatría Ramón de la Fuente.

