

Publicaciones

- [1] J. Cordero Machado, T. Heinrich, T. Schuldt, M. Gohlke, S. Lucarelli, D. Weise, U. Johann, A. Peters, and C. Braxmaier. Picometer resolution interferometric characterization of the dimensional stability of zero CTE CFRP. In *Proceedings of SPIE Advanced Optical and Mechanical Technologies in Telescopes and Instrumentation*, volume 7018, 2008.
- [2] J. Cordero Machado, T. Heinrich, T. Schuldt, M. Gohlke, S. Lucarelli, D. Weise, U. Johann, A. Peters, and C. Braxmaier. Interferometry-based ppb dilatometry for dimensional stability of highly-stable materials. *Measurement Science and Technology*, 2008.

Bibliografía

- [1] Helmut Kopka and Patrick W. Daly. *A GUIDE TO L^AT_EX: Document Preparation for Beginners and Advanced Users*. Addison-Wesley, 3rd edition, 1999.
- [2] D. G. Blair. *The detection of gravitational waves*, pages 3–15. Cambridge University Press, 1991.
- [3] P. Gath, U. Johann, H. R. Schulte, D. Weise, and M. Ayre. LISA system design overview: 6th international LISA Symposium. In *AIP Conference Proceedings*, volume 873, pages 647–653, 2006.
- [4] B. Abbott et al. LIGO: The laser interferometer gravitational-wave observatory. Technical Report LIGO-P070082-04, The LIGO Scientific Collaboration, 2007.
- [5] K. Kawabe and the TAMA collaboration. Status of the TAMA project. *Class. Quantum Grav.*, 14:1477–1480, 1997.
- [6] M. Hewitson et al. A report on the status of the GEO 600 gravitational wave detector. *Class. Quantum Grav.*, 20:581–591, 2003.
- [7] F. Acernese et al. Status of Virgo. *Class. Quantum Grav.*, 25(114045), 2008.
- [8] <http://www.srl.caltech.edu/lisa/graphics/05.LIGO.LISA.jpg>.
- [9] K. Mazumdar Sanjay. *Composites Manufacturing: Materials, product, and process engineering*. CRC, Press, 1993.
- [10] T. W. Chou, R. W. Cahn, P. Haasen, and E. J. Kramer. *Structure and Properties of Composites*, pages 44 – 47. Materials Science and Technology: a comprehensive treatment. VCH, Weinheim, 1993.
- [11] F. Cardarelli. *Materials Handbook: A concise desktop reference*, page 1026. Springer, 1993.
- [12] Deborah D. L. Chung. *Carbon Fiber Composites*. Butterworth-Heinemann, 1994.
- [13] K. H. J. Buschow, R. W. Cahn, P. Haasen, and E. J. Kramer. *Electronic and Magnetic Properties of Metals and Ceramics II*. Materials Science and Technology: a comprehensive treatment. VCH, Weinheim, 1993.
- [14] http://www.schott.com/optics_devices/english/download/zerodur_catalog_2004.pdf?PHPSESSID=slasskt96s6vro7bihtadv3rc3. Zerodur catalog.

-
- [15] S. Lucarelli. Laminate definition for accurate CTE measurement. LISA Mission Formulation.
 - [16] Dongmei Ren, K. M. Lawton, and J. A. Miller. A double-pass interferometer for measurement of dimensional changes. *Meas. Sci. and Tech.*, 19(025303), 2008.
 - [17] G. Bianchini, M. Barucci, T. Del Rosso, E. Pasca, and G. Ventura. Interferometric dilatometer for thermal expansion coefficient determination in the 4–300 K range. *Meas. Sci. Techno.*, 17:689–694, 2006.
 - [18] T. Schuldt, M. Gohlke, D. Weise, U. Johann, A. Peters, and C. Braxmaier. Compact laser interferometer for translation and tilt measurement as optical readout for the LISA inertial sensor. In *Proceedings of SPIE, Optomechatronic Sensors and Instrumentation III*, volume 6716, 2007.
 - [19] Martin Gohlke. Ein hochsymmetrisches Heterodyninterferometer zur Demonstration einer optischen Auslesung der Inertialsensoren des weltraumbasierten Gravitationswellendetektors LISA. Master’s thesis, Humboldt Universität Berlin, Juli 2007.
 - [20] C. Wu, S. Lin, and J. Fu. Heterodyne interferometer with two spatial-separated polarization beams for nanometrology. *Opt. Quantum Electron.*, 34(12):1267–1276, 2002.
 - [21] Thomas Heinrich. Interferometrische Messung des thermischen Ausdehnungskoeffizienten von Kohlenstoff-Verbundwerkstoffen für Weltraum Anwendungen mit geforderter Pikometer-Stabilität. Master’s thesis, HTWG Konstanz, 2008.
 - [22] <http://www.carbonvision.de/de/home/>.