

Bibliografía

- Albrecht P, Yamada K. 'Rapid calculation of stress intensity factors'. Journal of the Structural Division, Proceedings of ASCE 1977;103(ST2):377–89.
- Atzori B, Lazzarin P, Tovo R. 'From a local stress approach to fracture mechanics: a comprehensive evaluation of the fatigue strength of welded joints'. Fatigue Fract Eng Mater Struct 1999;22:369–81.
- Bellett D, Taylor D, Marco S, Mazzeo G, Guillois J and Pircher T, 'The fatigue behaviour of three-dimensional stress concentrations', Imt J Fatigue, 2005, 27, 207-221.
- Cañas J, París F, Picón R, Aguilar J L, Barroso A. 'Sobre el empleo del método del punto caliente (Hot Spot Stress) en el análisis a fatiga de construcciones soldadas', Grupo de Elasticidad y Resistencia de Materiales, Escuela Superior de Ingenieros Industriales, Sevilla.
- Conle FA, Chu C-C. 'Fatigue analysis and the local stress-strain approach in complex vehicular structures'. Int J Fatigue 1998;19(Suppl. 1):S317–23.
- Crupi G, Crupi V, Guglielmino E and Taylor D, 'Fatigue assessment of welded joints using critical distance and other methods', Engng Failure Anal, 2005, 12, 129-142.
- Doerk O, Fricke W, Weissenborn C, 'Comparison of different calculation methods for structural stresses at welded joints', Int J of Fatigue 25 (2003) 359-369.
- Dong P, 'A structural stress definition and numerical implementation for fatigue analysis of welded joints', Int J of Fatigue 23 (2001) 865-876.
- Dong P. 'A robust structural stress parameter for characterizing fatigue behavior of welded joints. SAE Technical Paper Series: No. 2001-01-0086, Fatigue and Failure of Spot Welds and Weld Joints, March, 2001.
- Dong P, Hong J.K., Cao Z, 'Stresses and stress intensities at notches: 'anomalous crack growth' revisited', Int J of Fatigue 25 (2003) 811-825.
- Dowling N E, 'Mechanical Behaviour of Materials – Engineering Methods for Deformation, Fracture and Fatigue', Englewood Cliffs, NJ, Prentice Hall, 1993.
- Fricke W, Petershagen H, 'Detail design of welded ship structures based on hot spot stresses'. In: Caldwell JB, Ward G, editors. Practical design of ships and mobile units. Amsterdam: Elsevier Science, 1992.
- Fricke W and Bogdan R, 'Determination of hot spot stress in structural members with in-plane notches using a coarse element mesh'. IIW Doc. XIII- 1870-01, International Institute of Welding, 2001.
- Fricke W, 'Recommended hot spot analysis procedure for structural details of ships and FPSOs based on round-robin FE analyses', Int J of Offshore and Polar Engng. 12, No.

1, March 2002, pp. 40 - 47.

Fricke W, 'Fatigue analysis of welded joints: state of development', *Marine Structures* 16 (2003) 185-200.

Fricke W, Kahl A, 'Comparison of different structural stress approaches for fatigue assessment of welded ship structures', *Marine Structures* 18 (2005) 473-488.

Gafiner E and Haibach E, 'Die Schwingfestigkeit von schweißverbindungen aus der Sicht einer örtlichen Beanspruchungsmessung' *Tragfähigkeitsermittlung bei Schweißverbindungen (Determination of Load-Carrying Capacity of Welded Joints)*, Düsseldorf, DVS-Verlag, 1968, Vol 1, pp 47—73.

Glinka G. 'Energy density approach to calculation of inelastic strain-stress near notches and cracks'. *Eng Fract Mech* 1985;22(3):485–508.

Haibach E, *Die Schwingfestigkeit von schweißverbindungen aus der Sicht einer örtlichen Beanspruchungsmessung (The fatigue strength of welded joints considered on the basis of a local stress measurement)*, LBF-Bericht FB-77, Darmstadt, Fraunhofer-Inst f Betriebsfest, 1968.

Harrison J D, 'The analysis of fatigue test results for butt welds with lack of penetration defects using a fracture mechanics approach', *BVRA Rep E/13/67*, British Welding Research Association, 1967.

Hobbacher A, 'Fatigue Design of Welded Joints and Components'. Recommendations of IIW Joint Working Group XIII-XV, Abington, Cambridge, Abington Publishing, 1996.

Hobbacher A, 'Zur Betriebsfestigkeit der Schweißverbindungen auf bruchmechanischer Grundlage', *Archiv Eisenhüttenw*, 1977, 48 (2), 109—114.

Hobbacher A, 'Cumulative fatigue by fracture mechanics', *Trans ASME, J Appl Mech*, 1977, 44 (12), 769—771.

Hou CY, Lawrence FV. 'Crack closure in weldments'. *Fatigue Fract Eng Mater Struct* 1996;19(6):683–93.

Hou C-Y, Charng J-J. 'Models for the estimation of weldment fatigue crack initiation life'. *Int J Fatigue* 1997;19(7):537–41.

Huther I, Gorski S, Lieurade HP, Laborde S, Recho N. 'Longitudinal non loaded welded joints geometrical stress approach'. *Weld World* 1999; 43(3):20–6.

Jakubczak H, Glinka G. 'Fatigue analysis of manufacturing defects in weldments'. *Int J Fatigue* 1986;8(2):51–7.

Janosch JJ, Debiez S, Clerge M, Dang Van K. 'Application of the local mechanical approach for optimizing the fatigue strength of fillet weld assemblies'. *Proceedings of*

the International Conference on Performance of Dynamically Loaded Welded Structure. New York: WRC, 1997. p. 265–72.

Janosch JJ, Debiez S. ‘Influence of the shape of undercut on the fatigue strength of fillet welded assemblies-application of the local approach’. Weld World 1998;41:350–60.

Jhansale H R and Topper T H, ‘Engineering analysis of the inelastic stress response of a structural metal under variable cyclic strains’, Cyclic Stress-Strain Behaviour-Analysis, Experimentation and Fatigue Prediction, ASTM STP 519, Philadelphia Pa, ASTM, 1973, pp 246-270.

Kloos K H, Adelmann J, Bieker G and Oppermann T, ‘Oberflächen und Randschichteinflüsse auf die Schwingfestigkeitseigenschaften’, Dauerfestigkeit und Zeitfestigkeit, VDI-Berichte 661, Düsseldorf, VDI-Verlag, 1988, pp 215-245.

Kuguel R, ‘A relation between theoretical stress concentration factor and fatigue notch factor deduced from the concept of highly stressed volume’, ASTM Proc 61, 1961, 732—744.

Kyuba H, Dong P, ‘Equilibrium-equivalent structural stress approach to fatigue análisis of a rectangular hollow section joint’, Int J of Fatigue, 27, 2005, 85-94.

Labesse F and N Récho N, ‘Local - global stress analysis of fillet welded joints’. IIW Doc. XIII- 1737-98, International Institute of Welding, 1998.

Lawrence F V, ‘Estimation of fatigue crack propagation life in butt welds’, Welding J, Res Suppl, 1973, 53 (5), 212s—220s.

Lawrence F V and Munse W H, ‘Fatigue crack propagation in butt welds containing joint penetration defects’, Welding J, Res Suppl, 1973, 52 (5), 221s—225s and 232s.

Lawrence F V, Mattos R, Burk JD. ‘Estimating the fatigue crack initiation life in welds’. ASTM STP 648. Philadelphia, 1978. p. 134–58.

Lawrence F V, Ho N J and Mazumdar P K, ‘Predicting the fatigue resistance of welds’, Ann Rev Mater Sci, 1981, 11, 401—425.

Lawrence FV, Burk JD, Yung YK. ‘Influence of residual stress on the predicted fatigue life of weldments’. ASTM STP 776. Residual stress effects in fatigue. Philadelphia, 1982. p. 33–43.

Lawrence FV, Dimitrakis SD, Chen N. ‘The fatigue resistance of automotive weldments’. Proceedings of the International Conference on Performance of Dynamically Loaded Welded Structure. New York: WRC, 1997. p. 254–64.

Lazzarin P, Sonsino C M and Zambardi R, ‘A notch stress intensity approach to assess the multiaxial fatigue strength of welded tube-to-flange joints subjected to combined loadings’, Fatigue Fract Engng Mater Struct, 2004, 27, 127-140.

Lazzarin P and Tovo R, 'A unified approach to the evaluation of linear elastic stress fields in the neighborhood of cracks and notches', Int J Fract, 1996, 78, 3-19.

Lazzarin P and Tovo R 'A notch stress intensity factor approach to the stress analysis of welds', Fatigue Fract Engng Mater Struct, 1998, 21, 1089-1103.

Lazzarin P, Tovo R and Filippi S, 'Elastic stress distributions in finite size plates with edge notches', Int J Fract, 1998, 91, 269-282.

Maddox S J, 'Calculating the fatigue-strength of a welded joint using fracture mechanics', Metal Constr Brit Welding J, 1970, 2 (8), 327-331.

Maddox S J, 'Fatigue crack propagation in weld metal and HAZ', Metal Constr, 1970, 2 (7), 285-289.

Maddox S J, 'Some further crack propagation results relevant to welded joints in steel', Welding Res Int, 1973, 3 (1), 72ff.

Maddox S J, 'Assessing the significance of flaws in welds subject to fatigue', Welding J, Res Suppl, 1974, 53 (9), 401s-409s.

Maddox S J, 'An analysis of fatigue cracks in fillet welded joints', Int J Fract, 1975, 11 (2), 221-243.

Maddox S J, 'The effect of mean stress on fatigue crack propagation, a literature review', Int J Fract, 1975, 11 (3), 389-408.

Manson S S, 'Fatigue: A complex subject - some simple approximations. Exp Mech, 1965, 5 (7).

Maddox S, 'Fatigue strength of welded structures'. Cambridge: Abington Publishers, 1991.

Miner MA, 'Cumulative damage in fatigue', Trans ASME, J Appl Mech, 1945, 12 (3), A159—A164.

Morrow J D, 'Cyclic plastic strain energy and fatigue of metals', ASTM STP 378 Philadelphia Pa, ASTM, 1965, pp 45—87.

Neuber H, 'Über die Berücksichtigung der Spannungskonzentration bei Festigkeitsberechnungen', Konstruktion, 1968, 20 (7), 245—251.

Niemi E, editors, 'Recommendations concerning stress determination for fatigue analysis of welded components'. Cambridge: Abington Publishers, 1995.

Niemi E (Ed), 'Stress Determination for Fatigue Analysis of Welded Components', IIW Doc XIII-1221-93, Cambridge, Abington Publ, 1995.

Niemi E, Tanskanen P, 'Hot spot stress determination for welded edge gussets', IIW XIII-1781-99, 1999.

Niemi E and Tanskanen P, ‘Hot spot stress determination for welded gussets’, Welding in the World, 2000, 44 (5), 31—37.

Niemi E, Fricke W, Maddox SJ, ‘Fatigue analysis of welded components’, Designer’s guide to the structural hot-spot stress approach, (IIW-1430-00), 2006.

Paris P C and Erdogan F, ‘A critical analysis of crack propagation law’, Trans ASME, J Basic Eng, 1963, 85, 528-539.

Paris P C. ‘Fracture mechanics and fatigue: a historical perspective’. Fatigue Fract Eng Mater Struct 1998;21(5):535–40.

Peterson R E, ‘Relation between stress analysis and fatigue of metals’, Proc SESA, 1950, 11(2), 199-206.

Peterson R E, ‘Fatigue of metals in engineering and design’, ASTM Marburg Lecture, Philadelphia Pa, ASTM, 1962.

Poutiainen I, Tanskanen P, Marquis G, ‘Finite element methods for structural hot spot determination - a comparison of procedures’, Int J Fatigue, 2004, 26, 1147—1157.

Poutiainen I, Marquis G, ‘A fatigue assessment method based on weld stress’, Int J of Fatigue 28 (2006) 1037-1046.

Radaj D, ‘Design and analysis of fatigue-resistant welded structures’. Cambridge: Abington Publishers, 1990.

Radaj D, Zhang S. ‘Notch Effect of welded joints subjected to antiplane shear loading’. Eng Fract Mech 1992;43(4):663–9.

Radaj D, ‘Review of fatigue-strength assessment of non-welded and welded structures based on local parameters’, Int J Fatigue, 1996, 18 (3), 153-170.

Radaj D, Sonsino CM, ‘Fatigue assessment of welded joints by local approaches’. Cambridge: Abington Publishers, 1998.

Radaj D, Sonsino CM, Fricke W, ‘Fatigue assessment of welded joints by local approaches’ 2nd edition. Woodhead Publishing in Materials, 2006.

Seeger T and Heuler P, ‘Generalized application of Neuber’s rule’, J Testing Evaluation, 1980, 8 (4), 199—204.

Siebel E and Stieler M, ‘Ungleichförmige Spannungsverteilung bei schwingender Beanspruchung’, VDI-Zeitschrift, 1955, 97 (5), 121-126.

Smith KN, Watson P, Topper TH. ‘A stress-strain function for the fatigue of metals’. J Mater 1970;5(4):767–78.

Sonsino C M, Einfluß von Kaltverformungen bis 5% auf das Kurzzeitschwingfestigkeitsverhalten metallischer Werkstoffe (Influence of cold forming up to 5% on the low-cycle fatigue behaviour of metallic materials), LBF-Bericht FB-161, Darmstadt, Fraunhofer-Inst f Betriebsfest, 1982.

Sonsino C M. ‘Multiaxial fatigue of welded joints under in-phase and out-of-phase local strains and stresses’. Int J Fatigue 1995;17(1):55–70.

Tada H, Paris P, Irwin G. ‘The stress analysis of cracks handbook’ 2nd ed. St Louis, MO: Paris Productions, 1985.

Taylor D, Barrett N and Lucano G, ‘Some new methods for predicting fatigue in welded joints’, Int J Fatigue, 2002, 24, 509—518.

Teng T-L, Fung C-P, Chang P-H, ‘Effect of weld geometry and residual stresses on fatigue in butt-welded joints’, Int J of Pressure Vessels and Piping 79 (2002) 467-482.

Testin RA, Yung JY, Lawrence FV, Rice RC. ‘Predicting the fatigue resistance of steel weldments’. Weld J Res Suppl 1987; 66(4):93s–8s.

Topper T H and El Haddad M H, ‘Fracture mechanics analysis for short fatigue cracks’, Canadian Metall Quart, 1979, 18, 207—213.

Tovo R, Lazzarin P, ‘Relationships between local and structural stress in the evaluation of the weld toe stress distribution’, Int J of Fatigue 21 (1999) 1063-1078.

Verreman Y, Nie B. ‘Early development of fatigue cracking at manual fillet welds’. Fatigue Fract Eng Mater Struct 1996;19:664–81.

Wagner M, ‘Fatigue strength of structural members with in-plane notches’. IIW Doc. XIII-1730-98, International Institute of Welding, 1998.

Williams M L, ‘Stress singularity resulting from various boundary conditions in angular corners of plates in tension’, J Appl Mech, 1952, 19, 526-528.

Xiao Z-G, Yamada K,’A method of determining geometric stress for fatigue strength evaluation of steel welded joints’, Int J of Fatigue 26 (2004) 1277-1293.