

REFERENCIAS BIBLIOGRÁFICAS

- Normativas:

- [1] ACI (2003) – *ACI 440.1R-03. Guide for the Design and Construction of Concrete Reinforced with FRP bars*, ACI Committee 440, American Concrete Institute, Farmington Hills, MI
- [2] ACI (2005) – *ACI 318-05. Building Code Requirements for Estructural Concrete (ACI 318-05) and comentary (318R-05)*, American Concrete Institute, Farmington Hills, MI
- [3] ACI (2006) – *ACI 440.1R-06. Guide for the Design and Construction of Concrete Reinforced with FRP bars*, ACI Committee 440, American Concrete Institute (ACI)
- [4] CAN/CSA-s806-02 (2002) – *Desing and Construction of Building Components with Fibre Reinforced Polymers*, Canadian Standards Association
- [5] CEB - FIP – *Model code 1990*
- [6] CEN (2004) – *Comité Europeo de Normalización Eurocode 2: Design of concrete structures Part 1-1: General rules anda rules for building.*
- [7] CTE – *Código Técnico de la Edificación Documento Básico SE-A. Documento Básico SE-AE*
- [8] EHE-08 – *Instrucción de Hormigón Estructural*
- [9] ISIS (2001) – *Reinforced concrete structures with fibre reinforced polymers, Design Manual No 3*, Canadian Network of Centres of Excellence on Intelligent Sensing for Innovation Structures
- [10] IstructE (1999) – *Institution of Structural Engineers*
- [11] JSCE (1997) – *Recommendation for design and construction of concrete structures using continuous fibre reinforced materials*

- Bibliografía:

- [12] Benmokrane, B., Chaallal, O. and Masmouidi R. (1996) – *Flexural Response of Concrete Beams Reinforced with FRP Reinfocing Bars*
- [13] Bischoff, P.H. and Scanlon, A. (2007)

Referencias Bibliográficas

Effective Moment of Inertia for Calculating Concrete Members Containing Steel Reinforcement Fiber-Reinforced Polymer Reinforcement

- [14] Branson, D.E (1977) – *Deformation of Concrete Structures*
- [15] Evans R. W. and Wilshire, B. – *Introduction to creep*
- [16] fib Task Group 9.3 (2007) – *FRP reinforcement in RC structures*, Technical report prepared by a working party Task Group 9.3
- [17] Gao, Benmokrane, and Masmoudi (1998) – “A Calculating Method of Flexural Properties of FRP-reinforced Concrete Beam: Part 1: Crack Width and Deflection,”
- [18] Guadagnini, M., Pilakoutas and Waldron, P. (2003) – *Shear Performance of FRP Reinforced Concrete Beams*
- [19] Hull, D. and Clyne, T.W. (1996) – *An Introduction to Composite Materials*
- [20] J. Calavera (2008) – *Proyecto y cálculo de estructuras de hormigón*
- [21] Saadatmeshes H., Ehsani, M.R. , and Tao,S. – *Bond of Hoked Glass Fiber Reinforced plastic (GFRP) Reinforcing Bars to Concrete*
- [22] Zhao W., Pilakoutas, K. and Waldron, P. (1997) – *FRP Reinforced Concrete: Calculation for Deflection*
- [23] Gegerly, P. and Lutz, L.A. – *Maximun Crack width in Reinforced Concrete Flexural Members*
- [24] Frosch, R.J. – *Another Look at Cracking and Crack Control in Reinforced Concrete*

- **Artículos:**

- [25] Barris, C., Torres, L., Baena M. y Miàs C. – *Vigas de hormigón armadas con barras de materiales compuestos*, Asociación Científico-Técnica del Hormigón Estructural
- [26] Barris, C., Torres, L., Baena M. y Miàs C. – *Flechas diferidas en Vigas de hormigón con barras de materiales compuestos*, Asociación Científico-Técnica del Hormigón Estructural

- **Catálogo:**

- [27] Schöck COMBAR, Catálogo de GFRP
WEB: www.schoeck-combar.com
- [28] FiberGlassRebar
Web: www.fiberglassrebar.com

