

Bibliografía

- [1] An introduction to MEMS, *Prime Faraday Partnership*, 2002.
- [2] Patrick Tabeling, Introduction to microfluidics, *Oxford University Press*, 2005.
- [3] Madou M. J., Fundamentals of microfabrication, *CRC Press*, 2002.
- [4] S. Metz, R. Holzer, P. Renaud, Polyimide-based microfluidic devices, *Lab on a Chip*, 1, 29, 2001.
- [5] Steven S. Saliterman, Fundamentals of BioMEMS and medical microdevices, *SPIE Press*, 2006.
- [6] Oliver Geschke, Henning Klank, Pieter Telleman, Microsystem engineering of Lab- on-a-chip devices, *Wiley Press*, 2004.
- [7] S.C.Terry, J.H.Jerman and J.B.Angell, “A gas chromatographic air analyzer fabricated on silicon wafer”, *IEEE Trans. Electr. Devices*, Vol. ED-26, 1979, 1880-1886.
- [8] Håkan Jönsson, “Microfluidics for lab-on-a-chip applications” *Diploma Thesis for the degree of Master of Science in Engineering Physics*, Lund Graduate School of Biomedical Research. Jan 2005.
- [9] Elisabeth Man, “Design, Fabrication and Sealing Experiments with a Novel Fluidic Microvalve”, *Master’s Degree Project in Electrical Measurement Technology*, Nº 392, Stockholm, Sweden 2005.
- [10] T. Thorsen, S. J. Maerkl, S. R. Quake. "Microfluidic Large-Scale Integration". *Science* 18, Octuber 2002, Vol. 298 Nº 5593, 580-584.

- [11] Torsten Vilkner, Dirk Janasek, and Andreas Manz, "Micro Total Analysis Systems. Recent Developments", *Anal. Chem.* 2004, 76, 3373-3386.
- [12] Stephen C. Jacobson, Roland Hergenröder, Alvin W. Moore, Jr., and J. Michael Ramsey, "Precolumn Reactions with Electrophoretic Analysis Integrated on a Microchip," *Anal. Chem.* 66, 4127 (1994).
- [13] M. Burns, B. Johnson, S. Brahmasandra, K. Handique, J. Webster, M. Krishnan, T. Sammarco, P. Man, D. Jones, D. Heldsinger, C. Mastrangelo, D. Burke, "An Integrated Nanoliter DNA Analysis Device", *Science* 16, October 1998, Vol. 282 Nº 5388, 484 – 487.
- [14] Dong Sung Kim, Se Hwan Lee, Chong H. Ahn, Jae Y. Leed and Tai Hun Kwon, "Disposable integrated microfluidic biochip for blood typing by plastic microinjection moulding", *Lab on Chip*, 2006, 6, 794–802.
- [15] Carmen Aracil Fernández. "Biosensor de glucosa diseñado con tecnología MEMS", Trabajo Fin de Máster en Ingeniería Electrónica, Tratamiento de Señales y Comunicaciones. Universidad de Sevilla, septiembre de 2005.
- [16] Goud, J.D., Raj, P.M., Jin Liu Narayan, R., Iyer, M., Tummala, R., "Electrochemical Biosensors and Microfluidics in Organic System-on-Package Technology". *Electronic Components and Technology Conference* (2007), ECTC Proceedings, 57th, pp. 1550 – 1555.
- [17] Becker H, Gartner C. "Polymer microfabrication methods for microfluidic analytical applications." *Electrophoresis*. 2000 Jan; 21(1), 12-26.
- [18] Jin-Woo Choi, Aniruddha Puntambekar, Chien-Chong Hong, Chuan Ciao, Xiaosban Zhu, Ramachandran Trichur, Jungyup Han, Srikanth Chilukuru, Madhulika Dutta, Suresh Murugesan, Sanghyo Kim, Young-Soo Sohu, Joseph H. Nevin, Gregory Beaucage, Jeong-Bong Lee, "A disposable plastic biochip cartridge with on-chip power sources for blood analysis", *Micro Electro Mechanical Systems, 2003. MEMS-03 Kyoto. IEEE The Sixteenth Annual International Conference*, 19-23 Jan. 2003, 447- 450.
- [19] Ling Xie, Ser Choong Chong, C. S. Premachandran, Michelle Chew and Uppili Raghavan, "Development of an Integrated Bio-Microfluidic Package with Micro-Valves and Reservoirs for a DNA Lab on a Chip (LOC) Application", *Electronic Components and Technology Conference*. 2006.

- [20] Roger Bodén, Marcus Lehto, Joakim Margell, Klas Hjort and Jan Schweitz, “On-chip liquid storage and dispensing for lab-on-a-chip applications”, *J. Micromech. Microeng.* 18 (2008).
- [21] Chunsun Zhang, Da Xing, Yuyuan Li, “Micropumps, microvalves, and micromixers within PCR microfluidic chips: Advances and trends”, *Biotechnology Advances* 25 (2007) 483–514.
- [22] Kwang W. and Chong H Ahn. “A review of microvalves” *J. Micromech. Microeng.* 16 (2006) R13–R39.
- [23] Pal R, Yang M, Johnson B N, Burke D T and Burns M A, “Phase change microvalve for integrated devices”, *Anal. Chem.* 76, 3740–8 (2004).
- [24] Liu R H, Yang J, Lenigk R, Bonanno J and Grodzinski P, “Single-use, thermally actuated paraffin valves for microfluidic applications”, *Sensors Actuators B*, 98, 328–36 (2004).
- [25] Liu R H, Yang J, Lenigk R, Bonanno J and Grodzinski P, “Self-contained, fully integrated biochip for sample preparation, polymerase chain reaction amplification, and DNA microarray detection”, *Anal. Chem.* 76, 1824–31(2004).
- [26] A. Debray, M. Shibata and H. Fujita. "A low melting point alloy as a functional material for a one-shot micro-valve". *J. Micromech. Microeng.* 2007, 1442 - 1450.
- [27] A. Debray, K Ueda, M Shibata and H Fujita, “Fabrication of suspended metallic structures: application to a one-shot micro-valve”. *IEICE Electronics Express*, Vol.4, N° 14, 455-460.
- [28] Joerg Nestler, "Low-cost Microfluidic actuators for integrated systems", *Fraunhofer Institute*, 2006.
- [29] Ahn, C.H, Jin-Woo Choi, Beauchage, G, Nevin, J.H, Jeong-Bong Lee, Puntambekar, A, Lee, J.Y, “Disposable smart lab on a chip for point-of-care clinical diagnostics”, *Proceedings of the IEEE*. Volume 92, Issue 1, Jan 2004, 154–173.
- [30] A. Puntambekar, C. Hong, C. Gao, X. Zhu, R. Trichur, J. Han, S. Lee, J. Kai, J. Do, R. Rong, S. Chilukuru, M. Dutta, L. Ramasamy, S. Murugesan, R. Cole, J. Nevin, G. Beauchage, J.B. Lee, J.Y. Lee, M. Bissellj, J.W. Choi and C. H. Ahn, “Smart disposable plastic Lab-on-a-chip for point-of-care testing (POCT)”, *7th International Conference on Miniaturized Chemical and Biochemical Analysts Systems*, uTAS 2003, California, October 5-9.

- [31] J. M. Shaw, J. D. Gelorme, N. C. LaBianca, W. E. Conley, and S. J. Holmes, "Negative photoresists for optical lithography", *IBM Journal of Research and Development*, Volume 41, Issue 1-2 (Jan./March 1997), 81 – 94 (1997).
- [32] S. H. Ng; Z. F. Wang; R. T. Tjeung1 and N. F. de Rooij, "Multi-layer SU-8 lift-off technology for microfluidic devices". *J. Micromech. Microeng.* 2005, 1115 - 1130.
- [33] Yong-Kyu Yoon, Jung-Hwan Park, and Mark G. Allen, "Multidirectional UV Lithography for Complex 3-D MEMS Structures" *Journal of Microelectromechanical Systems*, Vol. 15, Nº 5, October 2006.
- [34] Alvaro Mata, Aaron J Fleischman and Shuvo Roy, "Fabrication of multi-layer SU8 Microstructures", *J. Micromech. Microeng.* 16 (2006) 276–284.
- [35] A.P. Gadre, A.J. Nijdam, J.A. Garra, A.H. Monica , M.C. Cheng, C. Luo, Y.N. Srivastava, T.W. Schneider, T.J. Long, R.C. White, M. Paranjape, J.F. Currie, "Fabrication of a fluid encapsulated dermal patch using multilayered SU-8". *Sensors and Actuators A*: Vol. 114 (2004) pp.478–485.
- [36] Tobias Merkel, Michael Graeber, Lienhard Pagel, "A new technology for fluidic microsystems based on PCB technology". *Sensors and Actuators*, Vol. 77 (1999), pp. 98-105.
- [37] Pagel, L., Gabmann, S. "Microfluidic Systems in PCB Technology" *Industrial Electronics Society, IECON 2005*. 31st Annual Conference of IEEE
- [38] Fries, D.; Broadbent, H.; Steimle, G.; Ivanov, S.; Cardenas-Valencia, A.; Fu, J.; Weller, T.; Natarajan, S.; Guerra, L.; "PCB MEMS for environmental sensing systems" *Industrial Electronics Society, 2005. IECON 2005*. 31st Annual Conference of IEEE.
- [39] Ansgar Wego, Lienhard Pagel. "A self-filling micropump based on PCB technology", *Sensors and Actuators A*, 88 (2001) 220-226.
- [40] S. Gassmann, L. Pagel, "Flow injection analysis realized using PCBs", *Industrial Electronics, 2007. ISIE 2007*. Issue 4-7 June 2007, 3239 – 3243.
- [41] Guerin, L.J.; Dubochet, O.; Zeberli, J.-F.; Clot, P.; Renaud, P.; "Miniature one-shot valve". *Micro Electro Mechanical Systems*, 1998. The Eleventh Annual International Workshop, 425 -428.
- [42] J. R. Webster. "Micro valve actuator". *United States Patent 6527003* (2003)
- [43] Warren C. Young, Richard G. Budynas, "Roark's Formulas for Stress and Strain", *McGraw-Hill*, 1989.

- [44] *eFunda*: The Ultimate Online Reference for Engineers, www.efunda.com.
- [45] B. Schoeberle, M. Wendlandt and C. Hierold, Erratum to “Long-term creep behavior of SU-8 membranes: Application of the timestress superposition principle to determine the master creep compliance curve” *Sensors and Actuators A*, Volume 148, Issue 1, 4 November 2008, 352-353.
- [46] T. Namazu, S. Inoue, K. Takio, T. Fujita, R Maewzka and K. Kotera, “Visco-elastic properties of micron-thick SU-8 polymers measured by two different types of uniaxial tensile tests”, *Micro Electro Mechanical Systems, 2005. MEMS 2005. 18th IEEE International Conference*, 30 Jan.-3 Feb. 2005, 447- 450.
- [47] R. Feng, R.J. Farris, “The characterization of thermal and elastic constants for an epoxy photoresist SU8 coating”, *Journal of materials science*, 37 (2002) 4793 – 4799.
- [48] Thomas A. Anhoj, Anders M. Jorgensen, Dan A. Zauner and Jörg Hübler. “The effect of soft bake temperature on the polymerization of SU-8 photoresist”, *J. Micromech. Microeng.* 16 (2006) 1819–182
- [49] Bo Li, Miao Liu, and Quanfang Chen, “Low-stress ultra-thick SU-8 UV photolithography process for MEMS”, *J. Microlith. Microfab. Microsyst.*, Volume 4, Issue 4 (November 2005).
- [50] Sang Jeon Hong, Seungkeun Choi, Yoonsu Choi, Mark Allen, and Gary S. May, “Characterization of Low-Temperature SU-8 Photoresist Processing for MEMS Applications”. *Advanced Semiconductor Manufacturing*, 2004, Issue, 4-6, May 2004, 404 – 408.
- [51] Ansgar Wego, Stefan Richter and Lienhard Pagel. “Fluidic microsystems based on printed circuit board technology”, *J. Micromech. Microeng.* 11 (2001) 528–531.
- [52] Miguel Moreno, Carmen Aracil, José M. Quero, “High-integrated microvalve for Lab-on-chip biomedical applications”, *IEEE Biomedical Circuits and Systems Conference, BioCAS*, November 2008.
- [53] J. Miguel Moreno, Carmen Aracil, and José M. Quero, “Low Cost Fluid Microextractor for Lab-on-Chip”. *Electron Devices, 2009. CDE 2009*, Spanish Conference, 266-269.
- [54] J.M.Quero Reboul, J. García Ortega and C. Aracil Fernández. “Microsistema para la extracción e inyección controlada de fluido de un solo uso”, *Spanish patent P200402373* (2004).

- [55] Aracil, C.; Garcia, J.; Quero, J.M.; "Discrete Fluid Samples Microextractor", *Industrial Electronics ISIE 2007*. IEEE International Symposium, pp. 3261-3266.